Hydrobiologia (2005) 546:587–595
A. Herzig, R.D. Gulati, C.D. Jersabek & L. May (eds.) Rotifera X: Rotifer Research: Trends, New Tools and Recent Advances
DOI 10.1007/s10750-005-4087-4
© Springer 2005

Subject Index

A

AavLEA1, Group 3 LEA protein, 318
*abi*3 locus, 316
abiotic changes, 423
abiotic factors,170, 186, 368, 431, 564
abscisic acid (ABA)-insensitive mutants, 316
abundance, 101, 169, 194, 272, 318, 354, 364, 385, 392, 397, 405, 415, 423, 431, 443, 451, 457, 475, 492, 508, 510, 521, 535, 560, 584
α-bungarotoxin, 249
acanthella stage, 20
Acanthobrama spp., 444
Acanthocephala, 11, 47, 110, 213, 229, 238, 330
acanthocephalans, 11, 47, 108, 110
Acanthocyclops, 475
Acanthocyclops vernalis, 482
acanthor larva, 20
acetylcholinesterase, 249, 570
actin filaments, 223, 327
acute toxicity test, 570
adaptation, 30, 53, 66, 86, 335, 363, 458, 487, 544
advantage of sex, 29, 55
AGE-1, 348
ageing, 123, 347
age specific life expectancy, 355, 494
age specific offspring production, 355
Akaike Information Criterion, AIC, 49
algae, 32, 69, 111, 118, 127, 149, 197, 279, 348, 354, 368, 378, 382, 405, 416, 431, 457, 479, 509, 520, 537, 575
algal food, 353, 372, 379, 482, 511, 519, 559
allelic diversity, 55, 91
allopatry, 30, 92, 133
allozyme electrophoresis, 84
allozyme pattern, 161
Alona rectangula, 491
amphotheric reproduction, 338
amictic reproduction, 292
ammonia, 293, 368, 533, 553
Amplified Fragment Length Polymorphisms, AFLP, 85, 109
Angelfish Pool, Virginia Dale, CO, USA, 33
anhydrobiosis, 68, 141, 307, 315
anhydrobiotic bdelloid rotifers, 314, 315
anhydrobiotic engineering, 316
Ankistrodesmus falcatus, 578
Annelida, 11
Anostraca, 359, 371, 503
ANOVA, analysis of variance, 35, 60, 120, 171, 183, 215, 349, 355, 376, 407, 445, 493, 505, 511, 521, 543, 555, 561, 571
antagonistic pleiotrophy, 336
anthropogenic reservoirs, 431
Aphelenchus avenae, 315
apomictic parthenogenesis, 56, 330
apophysis, 206
aquatic toxicology, 577
aquifer depletion, 147
Arabidopsis thaliana, 316
arctic, 7, 99, 108, 488
arid regions, 147
arroyos, 148
arsenic, 577
artificial lakes, 431
Ascarate Pond, USA, 74
Aschelminthes, 11
asexual diapause eggs, 278
asexual reproduction, 29, 56, 114, 337, 573
assimilation, 368, 520, 535, 554
assimilation efficiency, 520, 539
α–tocopherol, 292
Australia, 2, 73, 87, 141, 257, 301, 556
automated motion analysis system, 375
Azov Sea, Russia, 268

B

Bacillariophyceae, 415, 433
backwater, 189, 410
bacteria, 32, 104, 110, 197, 277, 294, 317, 368, 394, 405, 415, 431, 443, 458, 516, 520, 537
bacterioplankton, 415, 559
background isotopic fraction, 536
background mass, 536
"bang-bang" strategy, 286
batch culture, 276
Bayesian analyses, 47
Bay of Hyères, Mediterranean, 204
bdelloid clades, 36
Bdelloidea, 17, 47, 55, 104, 110, 141, 149, 197
bdelloid rotifer, 29, 141, 198, 307, 315, 327, 341
Bear Canyon, Santa Catalina Mts., AZ, USA, 35
Beemden, Landen, Belgium, 204
Begijnendijk, De Putten, Belgium, 204
behaviour, behavior, 30, 68, 83, 125, 166, 169, 181, 218, 240, 249, 257, 268, 291, 343, 379, 381, 475, 500, 503
Bellows Spring, Santa Rita Mts., AZ, USA, 35
benthic, 71, 147, 214, 285, 365, 411, 427, 431, 457, 497
bet-hedging strategy, 297
Big Bend National Park, Texas, U.S.A., 147
bioassay, 263, 267, 564
bioavailability, 561
biodiversity, 1, 86, 125, 143, 154, 182, 284, 387
biogeography, 3, 86, 147

biomarker, 545, 577
biostabiliser, 319
biotic factors, 361, 457, 531, 559
bioturbation, 300
birth rate, 308, 340, 365, 445, 509
body size, 4, 84, 174, 181, 335, 362, 375, 383, 431, 480, 531
Boeckella, 475
Boeckella hamata, 477
Boeckella major, 477
Boeckella pseudochelae, 477
Boeckella triarticulata, 481
Bold's Basal Medium, 354, 492, 520, 560
Bootstrap, 49, 339
Bosmina, 445, 509
brachionids, 169, 458
Bradford assay, 578
Branchinecta gigas, 503
Branchinecta mackini, 503
brine shrimp, 315
broad retractors, 231
Broom Water, cut of River Thames, 190
Brownstone Canyon, Nevada, USA, 504
Brujewicz artificial seawater, 348
Bryozoa, 14
Buenoa macrotibialis, 484
bullrush, 318
Bungarus multicinctus, 250
β-bungarotoxin, 249
Burro Spring, Texas, USA, 156
butyryl-cholinesterase, 249
Bythotrephes longimanus, 452

C

^{13}C, 538
Caenorhabditis elegans, 117, 347
calanoid copepods, 475, 573
caloric or dietary restriction, 351
Cambridge Bay, Victoria Island, Canada, 204
Canadian salt lakes, 94
canyons, 148
carbon content, 340, 444, 541
Carlota Tinaja, Texas, USA, 156
carp, 190, 485
catecholamines, CA, 239
Cattail Spring, Texas, USA, 149
cDNA cloning, 118
centric diatoms, 460
cerebral eyespot, 72
Ceriodaphnia quadrangula, 382, 510
Ceriodaphnia spp., 445
CHAPS, 272
chemoreception, 268
chemostat, 68, 97, 295, 368, 447, 528
Chihuahuan Desert, Texas, USA, 147
Chino Canyon, Santa Rita Mts., AZ, USA, 34
Chirocephalus diaphanus, 504
Chisos Mountains, 148
Chi-square contingency test, 571
Chlamydomonas, 38, 302, 492
Chlamydomonas reinhardtii, 32, 578
Chlorella vulgaris, 32, 293, 353, 369, 492, 520, 560
Chlorophyceae, 382, 418
chlorophyll a, 382, 398, 406, 451, 460, 509
chlorophyll fluorescence spectra, 535
chlorophytes, 107, 447, 457
cholinergic (ChE) neuronal system, 239
chordoid larva, 12
chronic toxicity test, 560, 570
chydorids, 492
cingulum, 224, 232
circling behavior, 257
circular muscles, 223, 231, 328
cladistics, 71, 111
Cladocera, 382, 443, 452, 475, 491
cladogenesis, 29, 87
clearance rate, 478, 506
clear water phase, 509
clonality, 85
clonal structure, 83
cluster analysis, 109, 161, 434
C++ model, CPA model, 56
coastal lagoon, 88
Coccomyxa, 382
CODEML program of PAMLv3.13a, 49
coexistence, 89, 296, 485, 532
co-inertia analysis, 457
cold-stenotherm, 299
colonisation, 83
community dynamics, 423
community structure, 387, 423, 431, 520
confocal laser scanning microscopy, CLSM, 223, 231, 239, 327
conservation biology, 83
Consistency Index, CI, 72
constraint, 56, 72, 335, 468
copper (Cu) stress, 370, 566
copper toxicity, 559
Coregonus, 402, 452
corona, 14, 38, 53, 224, 231, 239, 257, 272, 375
corona retractors, 232
coronal auricles, 75
coronal bristles, 75
coronal ciliation, 75
coronal palps, 75
Corumbá reservoir, Brazil, 415
cosmopolitan, 83, 150, 257
cosmopolitanism, 84
*cox*1 gene, 29, 72, 257
Craspedacusta sowerbyi, 190
Craterostigma plantagineum, 315
Croton Spring, Texas, USA, 156
crowding, 258, 278, 291, 347
Crustacea, 11, 381, 394
cryptic species, 31, 83, 101, 257, 267, 344, 483
Cryptomonas erosa var. *reflexa*, 258
Cryptophyceae, 418

THE PAPER AND INK USED IN THE ORIGINAL PUBLICATION MAY AFFECT THE QUALITY OF THE MICROFORM EDITION.

culture conditions, 118, 127, 298, 356, 361, 498, 553, 565, 573
curation, 137
Cyanobacteria, 170, 368, 460, 537
Cyanophyceae, 382, 418
cyclical parthenogenesis, 56, 570
Cycliophora, 11, 111
cyclomorphosis, 84
Cyclops, 475, 485
Cyclops abyssorum, 402, 452, 476
Cyclops vicinus, 452, 479, 510
Cyprinus carpio, 190
Cytochrome oxidase I, 111, 181
cytoplasm, 11, 275, 324, 341
cytoskeleton, 18, 323

D

DAF-2, 348
DAF-16, 348
Daphnia, 91, 96, 126, 176, 340, 402, 452, 485, 510, 577
Deinococcus radiodurans, 319
delta values, δ, 536
denaturing gradient gel electrophoresis, DGGE, 102
dendrogram, 20, 109, 161
desiccation tolerance, 315
Diacyclops, 475
Diacyclops thomasi, 480
Diamantina River, Australia, 74
diapause, 278, 287, 291, 480, 571
diapausing eggs, 291
Diaphanosoma, 445
Diaphanosoma brachyurum, 382, 510
Diaptomus, 475
Diaptomus birgei, 482
Diaptomus minutus, 483
Diaptomus pallidus, 477
Diaptomus shoshone, 480
diatoms, 170, 415, 431, 447, 460
diazinon, pesticide, 569
diel vertical migration, 381, 484
digestible tracer particles, 535
disaccharides trehalose, 315
discriminant analysis, 181
dispersal, 14, 36, 69, 83, 125, 150, 282, 291, 468
distribution, 42, 49, 65, 86, 142, 147, 184, 200, 205, 223, 239, 362, 383, 387, 408, 415, 431, 443, 457, 475, 492, 503, 545, 569
disturbance, 89, 281, 387, 427, 468, 539
diversity, 31, 55, 83, 101, 109, 138, 144, 150, 170, 186, 239, 282, 296, 367, 382, 387, 399, 405, 424, 431, 464, 475, 492
DNA, 31, 47, 72, 83, 101, 109, 117, 125, 142, 165, 181, 257, 318, 323, 348
DNA sequence analysis, 257
Doñana National Park, Spain, 150
dormancy, 66, 141, 291, 307
Dripping Spring, Texas, USA, 156
Drosophila, 268
Drosophila melanogaster, 117, 317
Dugout Wells, Texas, USA, 156
Dunaliella salina, 566
Dunnett test, 555, 571
dystrophic lake, 381

E

Ecdysozoa, 25
ecological genomics, 101
ECOPATH, bioenergetic model, 458
ecotoxicology, 569
EDTA, 111, 267
effective water processing rate, 503
egg laying interval, 336
egg ratio, 358, 361, 448, 510
egg size, 335
EGTA, 267
elemental mass balance, 536
Elephant Butte Reservoir, USA, 74
embryo development, 323
endemicity, 86
endemism, 92, 147
Entoprocta, 11
enzymatic antioxidation system, 117
EPA medium, 111, 250, 354, 492, 520, 560
ephemeral waters, 147
epifluorescence microscope, 416
Epischura, 475
Epischura lacustris, 478
Epischura nevadensis, 482
Ernst Tinaja, Texas, USA, 152
Escherichia coli, 32, 317
Eudiaptomus, 475
Eudiaptomus gracilis, 382, 402, 452, 480, 510
Eudorina, 170
eukaryotes, 85, 315, 347
euphotic depth, 403
Euplotes sp., 553
Eurotatoria, 19, 47, 71, 110
eurybionts, 423
euryoecious aquatic-terrestrial, 200
euryoic, 86
Eurytemora affinis, 257, 478, 573
eurythermic, 391
Euspiralia, 23
eutely, 239, 313, 336
evolution, 14, 47, 55, 71, 83, 114, 133, 137, 142, 181, 263, 335, 351, 357
evolutionary dynamics, 55
exotic species, 147
exposure condition, 281

F

fairy shrimp, 503
fecundity, 58, 194, 277, 293, 307, 336, 349, 353, 361, 375, 494, 553

feeding, 12, 38, 169, 183, 202, 215, 240, 276, 343, 361, 375, 415, 447, 458, 479, 495, 503, 509, 520, 535, 554, 560
feeding apparatus, 12
feeding condition, 375
feeding rate, 178, 506
female status, 375
Fenitrothion, pesticide, 569
Filospermoidea, 19
Finger Rock Canyon, Santa Catalina Mts., AZ, USA, 35
finite birth rate, 445
flagellates, 415, 458
floodplain, 144, 295, 405, 468
Florida Canyon, Santa Rita Mts., AZ, USA, 33
Flosculariacea, 17, 203, 223, 231
Fluoresceinisothiocyanate, FITC, 240, 249
FMRFamide, 239
food concentration, 175, 294, 341, 353, 364, 385, 516, 531, 544
food limitation, 278, 293, 444, 509
foot musculature, 231
foot retractors, 223, 237
Fort, Merksem, Belgium, 209
Fourier analysis, 451
Fourier transform infra-red spectroscopy, 318
Frank J. Myers Rotifera Collection, 137
freshwater, 3, 92, 101, 109, 138, 147, 190, 215, 232, 249, 281, 353, 361, 387, 397, 410, 443, 475, 491, 519, 559, 572, 578
freshwater rotifer species, 109, 559
fruit flies, 318
fulcrum, 17, 197, 203, 213

G

GABA, gamma-aminobutyric acid, 553
Galapagos Islands, 150
gas chromatography, GC, 315
Gastrotricha, 11, 48
Gaynor Pond, Colorado, USA, 268
generalist, 420
General Time Reversible Model, 49
generation time, 59, 126, 353, 493, 532, 569
genetic distance, 112, 161, 182, 257
genetic divergence, 92, 165, 181, 195, 337
genetic diversity, 66, 83, 109, 301
genetic equilibrium, 83
genetic identity, 335
genetic individual, 335
genetic polymorphism, 300
genetic relatedness, 257
genetic variation, 30, 66, 83, 101, 125, 296, 344, 553
geometric morphometrics, 213
geomorphology, 458
Glenn Spring, Texas, USA, 156
glucosidase, 553
glycerine mounts, 137
glycohydrolase N-glycanase, 272
glycoprotein, 263, 267
Gnathifera, 11, 47, 213
Gnathostomulida, 11, 110, 213
Gnesiotrocha, 236
Gonatus onyx, 40
Government Spring, Texas, USA, 156
gp29, rotifer glycoprotein, 273
grazing, 383, 443, 454, 458, 515, 535
Great Smoky Mountain National Park, TN, USA, 33
growth rates, 35, 84, 296, 339, 356, 361, 459, 491, 519, 559
gross reproductive rate, 357, 493
GTR + I + G, nucleotide substitution model, 50
gut fullness methods, 535
gut passage time, 539

H

haploidy, 85
haplotypes, 92, 126
Hardy-Weinberg frequency, 56, 91
heat shock proteins, HSPs, HSP58, HSP60, 577
heavy metal, 559, 570, 577
Hemiboeckella searli, 478
Helvetia, Santa Rita Mts., AZ, USA, 34
Hemelbrug, Beringen-Koersel, Belgium, 204
hermaphrodite, 22, 338
Hesperodiaptomus arcticus, 481
Heterocope borealis, 480
heterogony, 277, 468
heterotrophic, 415, 458, 537
Het Wik, Genk, Belgium, 204
heuristic search strategy, 72
Holopedium gibberum, 382
homology, 11, 118, 247
Homo sapiens, 317
hsp82 gene, 43, 48
huecos, rock pools, 147
Hueco Tanks State Historic Site, HTSHS, Texas, 33, 74, 150, 258
human impact, 387
hybridization, 101, 165, 185, 257
hybrid fitness, 133
hybrid offspring, 133
hybrid zone, 125
hypertrophic, 387, 429, 438
hypolimnetic, 394
hypopharynx, 75
hyporheic, 149, 427
hypoxia, 387

I

Iberian Peninsula, 87, 125, 182, 257
immunocytochemistry, 239
incipient limiting level, 460
incomplete genetic discontinuity model, 91
Indian Rocks Beach, Florida, USA, 268
indicators, 397, 451, 457

Infusoria, 11
ingestion, 169, 477, 535, 554, 560
insulin-like growth factor, 347
insulin/IGF-1, 347
instantaneous birth rate, 445, 510
instantaneous death rate, 445
instantaneous rate of population change, 445
intermediate filaments, IFs, 318
introgression, 86, 132, 257, 267
Isochrysis, 368
Isochrysis galbana, 566
isoprothiolane, pesticide, 569
isotope ratio mass spectrometer, IRMS, 535
isotopic fractionation, 535
isotopic mass balance, 536
isotopic ratio, 536
isozyme analysis, 161
iteroparous, 57, 356

J

Jackknife method, 339
jaws, trophi, 11, 138, 197, 213

K

Kalahari, 150
Kangerlussuaq, Greenland, 204
Kangeroo Island, Australia, 74
Kaplan-Meier method, survival analysis method, 349
Kishino-Hasegawa test, KH, 49
Kivu, Bas-Congo, Congo, 204
Klebsiella pneumoniae, 32
Kruskal-Wallis one-way ANOVA, 60

L

Lacourtvijver, Willebroek, Belgium, 204
Laguna de Gallocanta, GAL, Spain, 126, 182
Laguna de las Eras, ERA, Spain, 126
Laguna de Mojón Blanco, MOJ, Spain, 126
Lake Aragon, Mexico, 520
Lake Balsa de Santed2, SA2 Spain, 126
Lake Banyoles, Spain, 388
Lake Carnegie, USA, 74
Lake Chapala, Mexico, 111
Lake Chapultepec, Mexico, 492, 520
Lake Dolgoe, Belarus, 388
Lake Dzierzno Duze, Poland, 431
Lake Eyre, Australia, 74
Lake Jelen, Poland, 432
Lake Kinneret, Israel, 443
Lake Kruczy Staw, Masurian Lake District, Poland, 381
Lake Kruglik, Belarus, 387
Lake Maarsseveen, The Netherlands, 367
Lake Mossø, Denmark, 232
Lake Naomi, USA, 74
Lake North Volos, Belarus, 388
Lake Oglethorpe, Georgia, USA, 402
Lake Plawniowice, Poland, 432
Lake Santa Elena, Mexico, 492, 520
Lake Sarcze, Poland, 432
Lake Siecino, Poland, 432
Lake South Volos, Belarus, 387
Lake Victoria, Kenya, 204
Lake Xaltocan, part of Lake Xochimilco, Mexico, 170
Lake Xochimilco, Mexico, 169, 354, 520
latency period, 299
Lauterborn cycles, 189
LEA protein, late embryogenesis abundant protein, 315
lectin blocking, 272
lectins, 272
Lens culinaris, 272
Lepidodermnella sp., 49
Leptodora kindti, 452
life history, 1, 55, 83, 307, 335, 348, 353, 361, 475, 491, 570
life history characteristics, 1, 55, 344, 491
life history theory, 335
life table, 55, 308, 339, 353, 362, 491, 531, 560
life-history evolution, 55
lifespan, 58, 117, 277, 311, 341, 347, 353, 368, 480, 491, 553
likelihood ratio test, LRT, 49
Limnognathia maerski, 15
limnoplankton, 459
lineages, 44, 87, 111, 125, 262
Little Fish Lake, Nevada, USA, 268
littoral, 80, 147, 285, 301, 365, 411, 424, 452, 457, 475, 491
Loch Leven, Scotland, 282, 299, 397
Loch Lomond, Scotland, 397
log-likelihood ratio (G) test, 50
long term record, 443
longevity, 117, 307, 347, 355, 479
Los Arquitos Dam, Mexico, 111
Lough Neagh, Northern Ireland, 451
LY294002 (Promega), 347

M

Macrothrix triserialis, 491
Mai Khao peat swamp, Phuket Island, Thailand, 281
Mann-Whitney test, 42, 129, 163, 215, 260
manubria function, 80
manubrium, 17, 75, 197, 205, 218
marine, 3, 11, 342, 431, 479, 536, 559, 577
mass cultures, 269, 292, 354, 553
mastax, 53, 142, 197, 224, 231, 239, 323, 570
mate-guarding, 297
mate recognition, 133, 165, 181, 263, 267, 553
maternal age effect, 307
maternal effect, 275
mating behavior, 257, 267, 291
mating signals, 267

MATLAB, 339, 452
maximum likelihood analysis, 40, 50
maximum parsimony analysis, 71
McKinney Spring, Texas, USA, 156
meiosis, 56, 214, 292, 338
Mendelian inheritance, 85
Mesocyclops, 475
Mesocyclops leuckarti, 479, 510
Mesocyclops thermocyclopoides, 483
mesotrophic, 387, 397, 423, 437, 492, 509
metapopulation, 96, 302
metallothionein, 583
metal toxicology, 577
metamery, 21
methoprene, pesticide, 569
microarray hybridization, 101
microcosms, 503
Microcystis, 170, 446
Micrognathozoa, 11, 47, 110, 213
microsatellite loci, 85, 125
microsatellite primers, 83
mictic reproduction, 292, 335, 348, 570
Middle Loire, 457
Mikolajskie Lake, Poland, 424
mitochondrial DNA, mtDNA, 71, 85, 125
mitochondrial gene, 15, 39, 92, 111, 133, 182
mixing depth, 403
mixis, 68, 84, 275, 291, 313, 337, 553, 569
mixis cue, 293
mixis initiation, 292
Mn-superoxide dismutase, Mn-SOD, 117, 348
Moctezuma River, Mexico, 111
modelling, 343, 362, 451, 458, 539
model organism, 95, 141, 347
MODEL TEST, 35, 49
molecular ecology, 31, 76, 83
Mollusca, 11
Moniliformis moniliformis, 49
monogonont rotifer, 55, 90, 337, 570
Monogononta, 17, 47, 71, 104, 110, 149, 203, 213, 223, 240, 282, 291, 409, 577
monopolisation hypothesis, 89
Monoraphidium minutum, 368
Moroccan Atlas Mountains, 150
morphological conservatism, 86
morphological variation, 95, 111, 170, 189, 237
morphology, 12, 29, 71, 101, 110, 127, 142, 161, 170, 184, 197, 203, 213, 223, 231, 257, 275, 282, 298, 326, 457, 478, 491, 546, 570
morphometric variation, 169
morphometry, 177, 181
MR BAYES 3.0B4, program, 50
Müller's larva, 23
Muema, Bas-Congo, Congo, 204
Muisbroek, Ekeren, Belgium, 204
Mule Ears Spring, Texas, USA, 156
multilocus genotype, MLG, 56
multispecies competition, 519
Mus musculus, 317
muscarinic receptors, 249
muscle arrangement, 223
muscles, 223, 231, 240, 326, 484
musculature, 142, 223, 231, 328
Mysis relicta, 452
Myzostoma cirriferum, 21
Myzostomida, 11

N

^{15}N, 535
Nannochloropsis gaditana, 376, 566
Nannochloropsis oculata, 111, 162, 250, 276, 553, 570
natural history collections, 137
natural lakes, 431
natural selection, 29, 68, 102, 338, 351
Nebalia, 14
Neighbor-Joining analysis, 76
Nei's index, 58
Nematoda, 11
nematodes, 110, 308, 315, 347
Nematomorpha, 20
Nemertea, 23
Nephrops norvegicus, 12
nervous system, 22, 239, 249, 326
nested clade analysis, 92
net reproductive rate, 59, 355, 491, 572
neurophysiology, 249
niche adaptation, 36
niche overlapping, 389
niche partitioning, 86
nicotinic receptors, 249
Nome, Alaska, 204
nonsynonymous mutations, 39
nuclear DNA, nDNA, 85, 126, 323
nuclear introgression, 133
nuclear ribosomal ITS region, 257
nucleotide diversity, π, 36

O

Oak Creek, Texas, USA, 156
Obere Halbjochlacke, Austria, 268
Oligacanthorhynchus tortuosa, 49
oligonucleotides, 109
oligotrophic, 388, 397, 516
Oncicola sp., 49
Oniscus asellus, 583
online catalog, 137
orthoclones, 307
Oscillatoria, 170
Oude Landen, Ekeren, Belgium, 204
oxidative stress, 117, 319, 348
oxygen, 117, 154, 300, 341, 348, 365, 375, 381, 387, 432, 451, 457, 505

P

paddles, 75, 483
Paint Gap Cattle Tank, Texas, USA, 156
Palm Canyon, Kofa NWR, AZ, USA, 34
Pandora larva, 12
pantropical, 532, 564
Parabroteas sarsi, 478
Parakrama Samudra, 175
Paramecium, 492
Paraná River, Brazil, 405, 416
parapodia, 21
parthenogenesis, 55, 118, 214, 291, 313, 330, 366, 570
PASCAL, 339
Paton's pond, Patagonia, AZ, USA, 34
PAUP* 4.0b10, 32, 49, 72, 260
PCA, principal component analysis, 94, 460
PCR, polymerase chain reaction, 32, 48, 83, 102, 109, 117, 128, 182, 317
peat swamp, 281
pedal gland, 19, 72, 224
Pediastrum, 170
pentachlorophenol, 572
Perca fluviatilis, 382, 452
perennial, 295
Peridinium, 446
permanent waters, 144, 301, 468
Permutation Tail Probability (PTP) test, 72
persistent founding effect, 94
pesticides, 559, 569
phalloidin, 223, 231, 327
phenotypic plasticity, 84, 336
phosphorus, 170, 354, 397, 432, 447, 516, 547
phylogenetic position, 11
phylogenetics, 47, 85
phylogeny, 20, 47, 71, 87, 109, 165, 207, 213
phylogeography, 92, 125
physiological individual, 335
phytoplankton, 170, 277, 382, 405, 415, 429, 443, 453, 459, 510, 553, 559
Piburger See, Austria, 402
PI3-kinase, 347
Pima Canyon, Santa Catalina Mts., AZ, USA, 33
Pisum sativum, 272
Planktothrix agardhii, 368
planktonic, 71, 90, 101, 147, 178, 215, 249, 301, 344, 361, 376, 383, 387, 405, 445, 452, 457, 475, 491, 510
plankton rotifers, 387
Platyhelminthes, 11, 247
Platyzoa, 23
Pleistocene, 83, 125
Pleuroxus aduncus, 491
Ploima, 18, 48, 71, 223, 236, 468
pollutants, 147, 577
polymorphic, 86, 102, 109, 128
Polyphemus pediculus, 452
polyphenism, 300
Pontatoc Canyon, Santa Catalina Mts., AZ, USA, 34
population density, 292, 359, 362, 383, 392, 398, 446, 453, 485, 493, 519, 560
population differentiation, 83
population dynamics, 83, 303, 339, 351, 359, 443, 452, 491, 516, 559
population turnover time, 445
porosity, 431
post-embryonic development, 213
potamoplankton, 457
powan, *Coregonus lavaretus*, 402
Poza Sur, Prat de Cabanes-Torreblanca Marsh, Spain, 91, 182, 301
predation, 169, 186, 194, 301, 340, 347, 353, 365, 383, 402, 443, 465, 503, 516, 519
Priest Pot, England, 402
primer, 32, 72, 83, 102, 109, 118, 128, 260, 317
primary production, 384, 444, 454, 464, 535
Probit Analysis, 571
ProLEA 1, rotifer protein, 319
Prometheus larva, 12
propagules, 94, 133
protein denaturation, 577
protein oxidation, 583
proton nuclear magnetic resonance spectroscopy, 316
Protostomia, 11
psammic rotifers, 431
psammobionts, 423, 435
psammon, 423, 431
psammophilic rotifers, 423
psammoxenes, 423
pseudoclutches, 336
pseudocoelomates, 110
pseudotrochus, 224

Q

quiescence, 291

R

ramate, 142, 197, 213
rami, 17, 80, 197, 203, 213
rami scleropili, 203
ramus dentition, 72
random genetic drift, RGD, 30, 55
rapid amplification of cDNA ends, RACE, 118
rapid amplification of polymorphic DNA, RAPD, 102
Rat Cave Pool, Virginia Dale, CO, USA, 35
rate of population increase, 353, 491, 511, 521, 561
reactive oxygen species, ROS, 117, 348
rDNA, 18S RDNA, 28S rDNA, 15, 71, 102, 110
Redundancy analysis, in CANOCO, 147
recombination, 47, 55, 92, 114, 338
rehydration, 315
relative egg volume, REV, 342
reproduction, 1, 19, 29, 55, 91, 114, 117, 141, 277, 281, 291, 310, 328, 335, 348, 353, 361, 375, 420, 427, 480, 493, 520, 554, 559, 569

reproductive isolation, 30, 87, 125, 162, 182, 257
resource allocation, 335, 520
resource competition theory, 295
resource limitation, 336, 359, 509
respiration, 343, 375, 443, 535, 564
resting eggs, 68, 83, 125, 141, 176, 182, 258, 268, 275, 281, 291, 337, 363, 428, 468, 499, 531, 554, 569
resting egg bank, 83, 107, 281, 292, 337
resting egg hatchability, 569
resting egg survival, 292
restoration, 139, 270, 281
Retention Index, RI, 72
retractors, 223, 231
Reuber H35 hepatoma cells, rat, 582
RFLP (restriction fragment length polymorphism) analysis, 90, 125
Rhinoglena frontalis, 292, 461
Rimov Reservoir, Czech Republic, 509
Rio Grande, 148, 577
Rio Grande Village Hot Spring, Texas, USA, 149
Rio Grande Village Pond, Texas, USA, 156
Rio Venados, Mexico, 492
river morphology, 457
River Danube, Austria, 469
River Elbe, Germany, 457
River Loire, France, 457
River Meuse, Belgium, 457
River Murray billabong, Victoria, Australia, 144, 258, 301
River Oder, Germany, 299, 457
River Po, Italy, 458
River Pripyat, Russia, 458
River Rhine, Germany, 457
River Thames, England, 189, 458
roach, 190
Robinsom Spring, Santa Rita Mts., AZ, USA, 33
rock pools, 147, 503
Roeselarekreek, St. Jan-Eremo, Belgium, 204
Rotifer – acanthocephalan relationships, 47
rotifer distribution, 415, 457
rotifer fauna, 2, 149, 282
rotifer prey, 173, 484, 493
Round Valley, Chnaricahua Mts., AZ, USA, 33
Rubare, Bas-Congo, Congo, 204
Rutilus rutilus, 190, 452
Ruttner sampler, 388
Ryan's III billabong, Victoria, Australia, 73, 141, 308

S

Saccharomyces cerevisiae, 118, 315
S morphotype *Brachionus*, 161
saline, 125, 224, 240, 327, 559
salinity, 132, 186, 275, 294, 348, 367, 376, 553, 559, 573
salt lakes, 87
Sam Nail Ranch, Texas, USA, 156
sand grain size, 431
Santa Cruz, Galápagos, 204
Santa Elena Reservoir, Mexico, 520
scanning electron microscopy, SEM, 17, 86, 110, 143, 169, 197, 203, 213, 223
Scardinus erythrophthalmus, 452
Scenedesmus, 171, 367, 535, 565
Scenedesmus obliquus, 367, 535
Schizotrix calcicola, 293
Scotia Canyon, Huachucha Mts., AZ, USA, 33
seasonal dynamics, 423, 443
seasonal occurrence, 451
seasonality, 89, 150, 229, 402, 415, 446, 451
SDS-polyacrylamide gel electrophoresis, 269
seeps, springs, 147
segregation, 338, 381, 507
Seisonidea, 18, 47, 55, 210, 237
selection, 29, 55, 83, 102, 110, 182, 194, 295, 336, 351, 415, 479, 553
selective neutrality, 85
semelparous, 57
Senecella calanoides, 478
sequence divergence, 87, 257
serial analysis of gene tags, SAGT, 101
serotonin, 5-HT, 239, 294
sex, 29, 55, 83, 268, 276, 313, 335, 484, 507
sex allocation theory, 296, 335, 507
sexual reproduction, 29, 47, 55, 91, 114, 277, 281, 291, 335, 499, 569
Sierra Nevada, 367
Sierra Vista, AZ, USA, 34
Shimodaira-Hasegawa test, SH, 49
sibling species, 68, 83, 125, 161, 181, 257
Simpson's index, 58
Sinantherina socialis, 49, 104, 461
single stranded conformational polymorphism, SSCP, 85, 102
sister groups, 21, 71
size, 4, 12, 32, 57, 74, 84, 129, 142, 149, 162, 174, 181, 190, 197, 204, 213, 223, 232, 241, 258, 294, 317, 323, 335, 362, 375, 382, 393, 406, 415, 424, 431, 444, 460, 475, 504, 511, 520, 537, 553, 578
Snowy Range, WY, USA, 33
spatial structure, 387
speciation, 29, 97, 101, 125, 181
species composition, 152, 285, 397, 406, 449, 451, 461
species diversity, 86, 101, 138, 170, 284, 382, 387, 399, 405, 426, 480
species richness, 147, 181, 288, 301, 387, 405, 425, 465
Spiralia, 22
springs, 35, 147
stable isotope tracer, 536
Star Lake, Vermont, USA, 298
starvation, 32, 275, 293, 339, 351, 379, 504, 516, 531, 554
stem female, 275, 294
stenoecious aquatic, 199
stenoecious terrestrial, 199
stenothermal, 363
storage effect, 89, 296
strain selection, 553
stratified lakes, 387

Streptocephalus proboscideus, 368, 503
stress protein, 577
stressors, 361, 553
subapophysis, 75
sucrose, 127, 240, 315
summer stratification, 403
superoxide dismutase, 117, 163, 348
surface glycoproteins, 267
survivorship curve, 355, 494
suspended animation, 315
Sweetwater Wetlands, Tucson, AZ, USA, 34
swimming speed, 341, 370, 375, 484, 560, 569
Symbion pandora, 12
sympatric, 29, 84, 133, 165, 182, 267, 503
sympatry, 83, 133, 182, 257
synapomorphy, 11
synchronous hatching, 301, 367
Syndermata, 11, 47, 110
Synechococcus, 382

T

tanks, diked ephemeral streams, 148
Tardigrada, 11, 200, 213, 436
tardigrades, 110, 313, 316
taxonomy, 1, 31, 71, 84, 161, 175, 181, 203, 213
Teloblastica, 23
temperature, 29, 89, 104, 128, 147, 170, 182, 189, 224, 240, 250, 258, 275, 282, 288, 291, 335, 353, 361, 375, 382, 387, 399, 423, 432, 443, 451, 457, 492, 505, 511, 519, 537, 553, 559, 573, 577
temporary waters, 301, 485, 503
Tetraselmis, 127, 182, 268, 302, 368
Tetraselmis chuii, 128
Tetraselmis suecica, 182, 268, 370
Tetraselmis tetrahele, 302
The Global 200, ecoregions–intensive conservation efforts, 147
thelytoky, amictic, 47
thelytoky, arrhenous, 47
thermocycler, 90
Thermocyclops, 479, 510
threshold age of fertilization, 295
threshold level, 120, 297, 367, 516
Tianjin, China, 268
tinajas, rock pools, 147
Torfbroek, Kampenhout, Belgium, 204
Torreblanca Marsh, Spain, 91, 162, 182, 295
toxicants, 359, 361, 559, 569, 577
toxicity, 559, 569, 577
trade-off, 117, 295, 335
Trap Lake, Front Range, CO, USA, 33
Trap Spring, Texas, USA, 156
Tree Length, TL, 71
trehalose, 307, 315
trehalose synthase genes, *tps*, 315
trehalose-6-phosphate synthase, 315
tributyltin stress, 577
trochozoans, 23
trochophore larva, 22
trophi, jaws, 138
trophi morphology, 142, 203
trophi size, 197, 218
trophi structure, 197, 203
trophi type, 72
trophic gradient, 397
trophic state, 397, 492
tropical lake, 95, 415
Tropocyclops, 475
Tropocyclops extensus, 484
Tropocyclops prasinus, 482
Tuff Canyon, Texas, USA, 156
Tukey multiple comparisons test, 60
Tule Spring, Texas, USA, 156
turbidostat, 368, 528

U

Upper Silesia, Poland, 431
unci function, 75
unci teeth, 142, 197, 203, 213
unci plates, 197, 205

V

Ventana Canyon, Santa Catalina Mts. AZ, USA, 34
Veerse Meer, The Netherlands, 204
vicariance, 86
Vicia fava, 272
Vinderhoutse bos, Gent, Belgium, 204
visceral musculature, 231
vitellarium, 19, 71, 234, 326, 341

W

Ward Spring, Texas, USA, 156
water discharge, 457
West Pomerania, Poland, 431
Wilderness of Rocks, Santa Catalina Mts., AZ, USA, 34
Window Trail, Texas, USA, 152

Y

Yetman trail, Tucson Mts., AZ, USA, 34

Z

Zeida-Midelt, Morocco, 204
Zeurt, Brasschaat, Belgium, 204
Zijpbeek, Opgrimbie, Belgium, 204
zooplankton, 89, 169, 181, 257, 285, 353, 361, 381, 387, 401, 412, 420, 443, 451, 458, 479, 492, 503, 509, 519, 535, 549, 559, 569

Hydrobiologia (2005) 546:597–601
A. Herzig, R.D. Gulati, C.D. Jersabek & L. May (eds.) Rotifera X: Rotifer Research: Trends, New Tools and Recent Advances
DOI 10.1007/s10750-005-0662-y
© Springer 2005

Rotifer species index

(infrasubspecific categories not specified)

A

Abrochtha, 33
Abrochtha carnivora, 198
Adineta, 32, 48, 105, 142, 200, 310
Adineta grandis, 58
Adineta oculata, 33
Adineta ricciae n. sp., 48, 58, 104, 141, 307
Adineta steineri, 198
Adineta vaga, 33, 49, 58, 104, 156, 315
Adineta vaga minor, 142
Anchitestudinella, 203
Anomopus telphusae, 198
Anuraeopsis, 365, 463, 492
Anuraeopsis fissa, 156, 297, 367, 387, 409, 426, 461, 478, 503, 531, 565
Ascomorpha ecaudis, 390, 409, 478
Ascomorpha ovalis, 426, 461, 478
Ascomorpha saltans, 390, 409, 426
Aspelta imbuta, 156
Asplanchna, 49, 71, 95, 169, 194, 219, 292, 340, 353, 361, 400, 409, 446, 463, 475, 491
Asplanchna brightwellii, 58, 74, 117, 169, 246, 297, 341, 379, 444
Asplanchna girodi, 58, 74, 324, 368, 478, 498
Asplanchna herrickii, 74, 239, 324
Asplanchna intermedia, 74, 174, 483, 499
Asplanchna priodonta, 74, 213, 252, 299, 324, 340, 390, 444, 459, 478, 495
Asplanchna sieboldii, 49, 74, 177, 219, 324, 409
Asplanchna tropica, 74
Asplanchna asymmetrica, 74
Asplanchnella, 71
Asplanchnopus, 71, 491
Asplanchnopus hyalinus, 74
Asplanchnopus multiceps, 74, 491

B

Beauchampiella eudactylota, 409
Bipalpus [Ploesoma] hudsoni, 390
Birgea, 17
Brachionus, 18, 72, 95, 113, 154, 161, 169, 183, 227, 263, 267, 301, 336, 353, 363, 375, 420, 444, 463, 475, 492, 519, 560
Brachionus angularis, 175, 292, 389, 409, 425, 444, 452, 459, 478, 483
Brachionus angularis bidens, 389
Brachionus bennini, 461
Brachionus bidentatus, 156
Brachionus budapestinensis, 169, 299, 354, 409
Brachionus calyciflorus, 32, 49, 58, 88, 104, 112, 169, 249, 257, 292, 341, 353, 364, 379, 409, 415, 444, 458, 478, 500, 519, 535, 565, 572
Brachionus caudatus, 409
Brachionus dimidiatus, 156
Brachionus diversicornis, 364, 478
Brachionus dolabratus, 409
Brachionus falcatus, 408
Brachionus forficula, 408
Brachionus havanaensis, 169, 353, 369, 500, 519
Brachionus ibericus, 89, 161, 262, 267, 295, 478
Brachionus leydigii, 461
Brachionus [Plationus] macracanthus, 176, 356, 491
Brachionus 'Manjavacas', 88
Brachionus mirus, 409
Brachionus [Plationus] patulus, 49, 109, 157, 178, 239, 249, 367, 491, 519, 577
Brachionus plicatilis, 32, 48, 58, 83, 105, 110, 117, 125, 181, 257, 267, 275, 287, 292, 324, 337, 347, 367, 375, 478, 553, 569, 577
Brachionus quadridentatus, 32, 237, 247, 249, 299, 353, 409, 461
Brachionus rotundiformis, 89, 161, 262, 267, 285, 294, 478, 553, 559
Brachionus rubens, 176, 299, 356, 364, 478, 500, 519
Brachionus urceolaris, 156, 223, 285, 296, 324, 409, 416, 491

C

Cephalodella auriculata, 426, 435
Cephalodella catellina, 156, 390, 426, 435
Cephalodella compacta, 156, 425
Cephalodella doryphora, 156
Cephalodella exigua, 425
Cephalodella forficula, 156
Cephalodella gibba, 156, 285, 426, 435, 452, 461
Cephalodella gracilis, 156, 435
Cephalodella hoodi, 299, 435
Cephalodella innesi, 285
Cephalodella cf. *mira*, 156
Cephalodella mucronata, 409
Cephalodella reimanni, 426
Cephalodella sterea, 156, 425
Cephalodella tenuior, 425
Cephalodella tenuiseta, 156, 426
Cephalodella vacuna, 156
Cephalodella ventripes, 425, 435
Cephalodella vitella, 156
Chromogaster [Ascomorpha] ovalis, 390
Collotheca, 365, 401, 444

Collotheca coronetta, 156
Collotheca gracilipes, 156
Collotheca mutabilis, 426
Collotheca ornata, 156
Collotheca cf. *paradoxa*, 156
Collotheca pelagica, 390, 426
Collotheca tenuilobata, 499
Collotheca wiszniewskii, 426
Colurella adriatica, 426, 435, 461
Colurella colurus, 426, 435
Colurella colurus compressa, 156
Colurella geophila, 426
Colurella hindenburgi, 426, 435
Colurella obtusa, 156, 426, 435
Colurella uncinata, 156, 426
Conochiloides, 237, 475
Conochiloides coenobasis, 444
Conochiloides natans, 389, 409, 478
Conochilus, 475
Conochilus coenobasis, 409
Conochilus dossuarius, 409, 478
Conochilus hippocrepis, 399, 478, 510
Conochilus natans, 252, 409, 478
Conochilus unicornis, 390, 409, 478
Cupelopagis vorax, 213

D

Dicranophorus claviger, 409
Dicranophorus forcipatus, 213, 247, 425, 435
Dicranophorus grandis, 426
Dicranophorus haueri, 156
Dicranophorus hercules, 426, 435
Dicranophorus luetkeni, 426, 435
Didymodactylos carnosus, 198
Dipleuchlanis elegans, 154
Dipleuchlanis propatula, 409
Dissotrocha aculeata, 198, 409, 435

E

Elosa, 409, 435
Embata laticeps, 58
Encentrum diglandula, 425
Encentrum marinum, 425, 435
Encentrum pornsilpi, 285
Encentrum sutor, 425
Encentrum uncinatum, 425
Eosphora ehrenbergi, 49, 104
Eosphora najas, 324
Epiphanes, 78, 297, 365
Epiphanes brachionus, 292, 365
Epiphanes clavulata, 365, 409
Epiphanes macroura, 177, 461
Epiphanes senta, 154, 237, 292, 365
Euchlanis, 478
Euchlanis contorta, 426
Euchlanis dapidula, 425
Euchlanis dilatata, 58, 156, 239, 252, 401, 408, 426, 461, 478
Euchlanis lyra, 156
Euchlanis triquetra, 156

F

Filinia, 203, 387, 409, 444, 475
Filinia brachiata, 210
Filinia longiseta, 156, 169, 389, 401, 409, 452, 478
Filinia novaezealandiae, 156
Filinia opoliensis, 408
Filinia pejleri, 409
Filinia terminalis, 387, 480
Floscularia, 203, 409
Floscularia conifera, 285
Floscularia ringens, 219, 223

G

Gastropus, 478,
Gastropus hyptopus, 409
Gastropus stylifer, 390, 425, 461, 478

H

Habrotrocha, 32, 49, 58, 104, 200
Habrotrocha constricta, 33, 49, 58, 104
Habrotrocha elusa vegeta, 58
Habrotrocha rosa, 324
Habrotrocha sylvestris, 58
Harringia, 71
Harringia eupoda, 73
Harringia rousseleti, 73
Henoceros falcatus, 198
Hexarthra, 32, 169, 503
Hexarthra brandorffi, 151
Hexarthra bulgarica, 367
Hexarthra intermedia, 408
Hexarthra mira, 223, 409, 505
Horaella, 210
Horaella brehmi, 210
Horaella thomassoni, 409

I

Itura viridis, 154

K

Kellicottia bostoniensis, 408, 478
Kellicottia longispina, 364, 388, 399, 452, 478, 510
Keratella, 90, 169, 297, 343, 365, 387, 444, 463, 475, 492
Keratella american, 169, 408, 415, 478
Keratella cochlearis, 95, 111, 169, 189, 295, 340, 354, 367, 387, 397, 408, 415, 426, 452, 459, 480, 509
Keratella cochlearis angulifera, 189
Keratella cochlearis ecaudata, 189

Keratella cochlearis faluta, 95
Keratella cochlearis hispida, 189, 389
Keratella cochlearis irregularis, 189
Keratella cochlearis macracantha, 189
Keratella cochlearis micracantha, 189, 483
Keratella cochlearis micraspina, 194
Keratella cochlearis robusta, 95
Keratella cochlearis tecta, 95, 170, 189, 340, 390, 459, 478
Keratella cochlearis tuberculata, 189, 483
Keratella crassa, 368, 478
Keratella earlinae, 252
Keratella hiemalis, 95, 111
Keratella irregularis connectens, 189
Keratella lenzi, 409
Keratella procurva, 478
Keratella quadrata, 95, 364, 390, 401, 452, 468, 478, 511
Keratella slacki, 478
Keratella taurocephala, 478
Keratella tecta, 463, 478
Keratella tropica, 169, 354, 409, 415, 417

L

Lacinularia, 209
Lecane, 113, 150, 444
Lecane cf. *abanica*, 156
Lecane aculeata, 409
Lecane amazonica, 409
Lecane arcuata, 425
Lecane bifurca, 156, 285
Lecane bulla, 109, 156, 169, 249, 285, 409, 426, 435, 461
Lecane clara, 425, 435
Lecane closterocerca, 156, 409, 425, 435, 461
Lecane cornuta, 324, 409
Lecane curvicornis, 409
Lecane elsa, 409
Lecane flexilis, 389, 435
Lecane furcata, 156
Lecane hamata, 156, 409, 435
Lecane inermis, 156, 285
Lecane leontina, 409
Lecane levistyla, 425, 435
Lecane ludwigii, 285, 409
Lecane luna, 109, 157, 249, 389, 409, 426, 435, 461
Lecane lunaris, 409, 426, 435, 461
Lecane monostyla, 409
Lecane nana, 425
Lecane obtusa, 285
Lecane perpusilla, 157
Lecane proiecta, 408
Lecane psammophila, 426, 435
Lecane quadridentata, 109, 249, 409
Lecane rudescui, 157
Lecane scutata, 409, 435
Lecane signifera, 409
Lecane stenroosi, 425
Lecane stichaea, 409
Lecane tenuiseta, 58, 157, 285, 435
Lecane thalera, 157
Lecane unguitata, 285
Lecane ungulata, 409
Lepadella, 252, 362, 478
Lepadella benjamini, 409
Lepadella ovalis, 157, 409
Lepadella patella, 157, 426, 435
Lepadella pumilo, 157
Lepadella quadricarinata, 425
Liliferotrocha, 366
Lindia, 18
Lindia anebodica, 157
Lindia cf. *pallida*, 154, 435
Lindia torulosa, 285

M

Macrochaetus collinsi, 409
Macrochaetus sericus, 154, 409
Macrotrachela, 33, 200
Macrotrachela crucicornis, 198
Macrotrachela faveolata, 200
Macrotrachela inermis, 58
Macrotrachela insolita, 58
Macrotrachela quadricornifera, 33, 49, 58, 201, 213, 307, 323, 341
Macrotrachela vanoyei, 58
Mniobia, 200
Mniobia magna, 198
Mniobia russeola, 324
Monommata arndti, 157
Monommata astia, 436
Monommata enedra, 157
Monommata longiseta, 425
Mytilina macrocera, 409
Mytilina mucronata, 157, 436
Mytilina ventralis, 409, 436

N

Notholca, 111, 156, 365, 400
Notholca acuminata, 237
Notholca labis, 436
Notholca squamula, 298
Notommata, 154, 292, 375, 409, 478
Notommata copeus, 58
Notommata cyrtopus, 426, 436
Notommata glyphura, 213, 223

O

Otostephanos, 200
Otostephanos donneri, 198

Otostephanos kostei, 200
Otostephanos torquatus, 58

P

Paradicranophorus aculeatus, 425
Philodina, 33, 107, 114, 197, 389, 444
Philodina acuticornis, 49, 109, 249
Philodina acuticornis odiosa, 109
Philodina citrina, 198
Philodina gregaria, 58
Philodina megalotrocha, 157
Philodina roseola, 33, 49, 58, 104, 308, 315, 329
Philodina vorax, 58
Plationus macracanthus, 409
Plationus patulus, 109, 157, 239, 249, 409, 577
Platyias leloupi, 409
Platyias [Plationus] patulus, 239
Platyias quadricornis, 154
Pleuretra, 197
Pleuretra reticulata, 198
Ploesoma hudsoni, 325
Ploesoma truncatum, 408
Polyarthra, 72, 169, 299, 340, 366, 388, 408, 420, 449, 468, 475, 509
Polyarthra euryptera, 478
Polyarthra dolichoptera, 74, 157, 299, 390, 399, 452, 459, 478, 510
Polyarthra major, 390, 462, 478
Polyarthra remata, 390, 479
Polyarthra vulgaris, 390, 401, 409, 415, 426, 461, 478, 510
Pompholyx, 203, 409, 478
Pompholyx complanata, 203, 389, 415
Pompholyx sulcata, 203, 299, 364, 390, 452, 478
Proales daphnicola, 157
Proalides, 366
Ptygura, 154, 209, 365, 409
Ptygura brevis, 157
Ptygura crystallina, 157
Ptygura longicornis, 157

R

Rhinoglena frontalis, 292, 461
Rotaria, 33, 113, 197, 214, 480
Rotaria macrura, 201, 213
Rotcria neptunia, 109, 201, 249
Rotaria neptunoida, 201, 213
Rotaria rotatoria, 109, 324, 436
Rotaria socialis, 201
Rotaria sordida, 201
Rotaria tardigrada, 200, 213, 436

S

Scepanotrocha, 200
Seison, 14, 49, 110
Seison nebaliae, 49
Sinantherina, 177, 209
Sinantherina socialis, 49, 104, 461
Squatinella mutica, 154
Synchaeta, 72, 156, 341, 399, 444, 475, 509
Synchaeta grandis, 299
Synchaeta kitina, 299, 390, 425, 478
Synchaeta lakowitziana, 510
Synchaeta littoralis, 74
Synchaeta oblonga, 252, 444, 480, 511
Synchaeta pectinata, 74, 278, 298, 341, 381, 389, 408, 444, 481, 516
Synchaeta stylata, 409
Synchaeta tremula, 389

T

Testudinella, 203, 231, 478
Testudinella caeca, 204
Testudinella clypeata, 204
Testudinella elliptica, 203
Testudinella incisa, 204
Testudinella mucronata, 204, 409
Testudinella ohlei, 409
Testudinella parva, 204
Testudinella patina, 203, 231, 409
Testudinella truncata, 203
Trichocerca, 72, 113, 292, 375, 383, 409, 426, 436, 444, 478
Trichocerca bicristata, 409
Trichocerca bidens, 409
Trichocerca brachyura, 461
Trichocerca capucina, 390, 409, 425
Trichocerca collaris, 157
Trichocerca cylindrica, 409
Trichocerca dixon-nuttalli, 408
Trichocerca elongata, 409, 461
Trichocerca iernis, 409
Trichocerca inermis, 409
Trichocerca insignis, 409
Trichocerca intermedia, 426, 436
Trichocerca macera, 408
Trichocerca marina, 157
Trichocerca myersi, 401, 425
Trichocerca pusilla, 285, 299, 389, 409, 426, 465
Trichocerca rattus, 74
Trichocerca rousseleti, 390, 436, 478
Trichocerca scipio, 409
Trichocerca similis, 157, 390, 409, 426, 465, 512
Trichocerca simonei, 381
Trichocerca stylata, 390, 397, 400, 409
Trichocerca taurocephala, 426, 436
Trichocerca tenuidens, 157
Trichocerca tenuior, 285, 425, 436
Trichocerca weberi, 436
Trichotria, 478
Trichotria tetractis, 409
Trochosphaera, 210
Tylotrocha, 17, 436

W

Wierzejskiella sabulosa, 426, 436
Wierzejskiella vagneri, 154
Wierzejskiella velox, 426, 436
Wigrella depressa, 436

Z

Zelinkiella synaptae, 198